

ZOOZOO PRINTING




SETUP GUIDE

SCODIX

Artwork should be supplied as a high-resolution PDF, with all Scodix elements on extra page(s) and set as a Spot colour named 'Scodix'

1 Open your artwork (Ensure all artwork includes at least 5mm bleed).

2 Create a new swatch. **Change colour type to 'Spot Colour'** and set the Magenta value to 100%. Ensure both fill and opacity settings are also set to 100%



3 Create new artboard(s) for your Scodix Artwork. If Scodix is required on 1-side, create one new artboard. For 2-sided Scodix, create two new artboards.

4 Select the elements you wish to enhance with Scodix on your original artboard and duplicate them to the new Scodix artboard(s). **Change the colour of the Scodix elements to the 'Scodix' spot colour created in Step 2. Make sure the element on your new artboards are identical in all respects to size, orientation, crop, position of images and text to your original artwork.**

Example

Artboard 1 - Front Artwork

Artboard 2 - Back Artwork


Artboard 3 - Scodix Artwork Front

Artboard 4 - Scodix Artwork Back



Continued....

- 6 Go into the Separation Preview palette (Window > Separation Preview). Tick Overprint Preview and view only the Scodix colour to ensure your spot colour has been applied.



- 7 To submit artwork, all files must be saved as a press ready PDF. **Don't forget to include trims and bleed!**



It is **IMPORTANT** to make sure that the 'Scodix' elements identical in all respects to size, orientation, crop, position of images and text to your original CMYK artwork.



Things to Avoid

For the best effects, avoid applying Scodix to thin lines, small text or finely detailed artwork.